

# Package: MTest (via r-universe)

August 30, 2024

**Type** Package

**Title** A Procedure for Multicollinearity Testing using Bootstrap

**Version** 1.0.1

**Date** 2023-09-20

**Maintainer** Víctor Morales-Oñate <victor.morales@uv.cl>

**Description** Functions for detecting multicollinearity. This test gives statistical support to two of the most famous methods for detecting multicollinearity in applied work: Klein's rule and Variance Inflation Factor (VIF). See the URL for the papers associated with this package, as for instance, Morales-Oñate and Morales-Oñate (2015) <[doi:10.33333/rp.vol51n2.05](https://doi.org/10.33333/rp.vol51n2.05)>.

**Depends** R (>= 4.1.0)

**License** GPL (>= 3)

**Encoding** UTF-8

**Imports** car

**URL** <https://github.com/vmoprojs/MTest>

**BugReports** <https://github.com/vmoprojs/MTest/issues>

**LazyData** true

**Repository** <https://vmoprojs.r-universe.dev>

**RemoteUrl** <https://github.com/vmoprojs/mtest>

**RemoteRef** HEAD

**RemoteSha** d120e86db310783686ab652f884075bcdefbb530

## Contents

MTest . . . . .	2
pairwiseKStest . . . . .	3
simDataMTest . . . . .	5
<b>Index</b>	<b>6</b>

---

MTest

*MTest*


---

### Description

MTest is a nonparametric test based on bootstrap for detecting multicollinearity. This test gives statistical support to two of the most famous methods for detecting multicollinearity in applied work: Klein's rule and Variance Inflation Factor (VIF for essential multicollinearity).

### Usage

```
MTest(object, nboot = 100,
       nsam = NULL, trace = FALSE, seed = NULL,
       valor_vif = 0.9)
```

### Arguments

object	an object representing a model of an appropriate class (mainly "lm"). This is used as the model in MTest.
nboot	Numeric; number of bootstrap iterations to obtain the probability distribution of R squared (global and auxiliar).
nsam	Numeric; sample size for bootstrap samples.
trace	Logical; prints iteration process.
seed	Numeric; seed value for the bootstrap in nboot parameter.
valor_vif	Numeric; value to be compared in kleins rule.

### Details

MTest generates a bootstrap distribution for the coefficient of determination which lets the researcher assess multicollinearity by setting a statistical significance  $\alpha$ , or more precisely, an achieved significance level (ASL) for a given threshold.

Consider the regression model

$$Y_i = \beta_0 X_{0i} + \beta_1 X_{1i} + \cdots + \beta_p X_{pi} + u_i$$

where  $i = 1, \dots, n$ ,  $X_{j,i}$  are the predictors with  $j = 1, \dots, p$ ,  $X_0 = 1$  for all  $i$  and  $u_i$  is the gaussian error term.

In order to describe Klein's rule and VIF methods, we need to define *auxiliary regressions* associated to model. An example of an auxiliary regressions is:

$$X_{2i} = \gamma_1 X_{1i} + \gamma_3 X_{3i} + \cdots + \gamma_p X_{pi} + u_i.$$

In general, there are  $p$  auxiliary regressions and the dependent variable is omitted in each auxiliary regression. Let  $R_g^2$  be the coefficient of determination of the model and  $R_j^2$  the  $j$ th coefficient of determination of the  $j$ th auxiliary regression.

**Value**

Returns an object of class MTest. An object of class MTest is a list containing at most the following components:

pval_vif	p values for vif test;
pval_klein	p values for klein test;
Bvals	A $nboot \times (p + 1)$ matrix where rows are the number of bootstrap samples and the columns are $R_{gboot}^2$ and $R_{jboot}^2$ which are estimates of estimates of $R_g^2$ and $R_j^2$ , see Section <b>Details</b>
vif.tot	Observed VIF values;
R.tot	Observed $R_g^2$ and $R_j^2$ values;
nsam	sample size used in bootstrap procedure.

**Author(s)**

Víctor Morales Oñate, <victor.morales@uv.cl>, <https://sites.google.com/site/moralesonatevictor/>, <https://www.linkedin.com/in/vmoralesonate/> Bolívar Morales Oñate, <bmoralesonate@gmail.com>, <https://sites.google.com/site/moralesonatevictor/>

**References**

Morales-Oñate, V., and Morales-Oñate, B. (2023). *MTest: a Bootstrap Test for Multicollinearity*. Revista Politécnica, 51(2), 53–62. doi:10.33333/rp.vol51n2.05

**Examples**

```
library(MTest)
data(simDataMTest)
m1 <- lm(y~.,data = simDataMTest)

boot.sol <- MTest(m1,trace=FALSE,seed = 1,nboot = 50)
boot.sol$pval_vif
boot.sol$pval_klein
head(boot.sol$Bvals)
print(boot.sol)
```

---

pairwiseKStest

*pairwiseKStest*


---

**Description**

Returns the  $p$ -value of the columns of X (pairwisely).

**Usage**

```
pairwiseKStest(X,alternative="greater")
```

**Arguments**

X	Numeric; a matrix (Bvals output from MTest function) whose columns are to be compared.
alternative	String; letter of the value, but the argument name must be given in full. See 'ks.test' for the meanings of the possible values.

**Details**

Using a pairwise Kolmogorov-Smirnov (KS) test of a given matrix  $X$ . In particular, if  $X$  is the Bvals output from MTest function, pairwiseKStest establishes a guide for an educated removal of variables that are causing multicollinearity.

Note that the matrix  $B_{n_{boot} \times (p+1)}$  (which is Bvals output from MTest function) allow us to inspect results in detail and make further tests such as boxplots, pairwise Kolmogorov-Smirnov (KS) of the predictors and so on.

**Value**

Returns an object of class pairwiseKStest. An object of class pairwiseKStest is a list containing at most the following components:

KSpwMatrix	$p$ -values matrix of pairwise KS testing;
alternative	Character; indicates the alternative hypothesis.
Suggestion	Character; indicates row sums (or col sums) of KSpwMatrix suggesting the removal order in case that is the strategy for dealing with multicollinearity.

**Author(s)**

Víctor Morales Oñate, <victor.morales@uv.cl>, <https://sites.google.com/site/moralesonatevictor/>, <https://www.linkedin.com/in/vmoralesonate/> Bolívar Morales Oñate, <bmoralesonate@gmail.com>, <https://sites.google.com/site/moralesonatevictor/>

**References**

Morales-Oñate, V., and Morales-Oñate, B. (2023). *MTest: a Bootstrap Test for Multicollinearity*. Revista Politécnica, 51(2), 53–62. doi:10.33333/rp.vol51n2.05

**Examples**

```
library(MTest)
data(simDataMTest)
pairwiseKStest(X=simDataMTest)
```

---

`simDataMTest`*Simulated data for MTest*

---

**Description**

This data set helps testing functions in MTest package, the generating process is documented in the reference.

**Usage**`simDataMTest`**Format**

A dataframe containing 10000 observations and four columns.

**References**

Morales-Oñate, V., and Morales-Oñate, B. (2023). *MTest: a Bootstrap Test for Multicollinearity*. *Revista Politécnica*, 51(2), 53–62. doi:[10.33333/rp.vol51n2.05](https://doi.org/10.33333/rp.vol51n2.05)

# Index

- \* **KS**
    - pairwiseKStest, 3
  - \* **Multicollinearity**
    - MTest, 2
  - \* **datasets**
    - simDataMTest, 5
- MTest, 2
- pairwiseKStest, 3
- simDataMTest, 5